

HAFI Flush Line rose lever handle set for solid leaf doors Design 311 - 870/871 PZ

HAFI Flush Line Design 311 rose lever handle set PZ for solid leaf doors, matt brushed stainless steel.

Standard door thickness: 37 - 44 mm, 8 mm square spindle

Stainless steel escutcheon set with fixed, pivot-mounted lever handles on metal base rose with spring preload for 0° position of the lever handle, 4 mm edge height of the escutcheons. Concealed, continuous screw fitting of the base roses with quick installation using the "Push-Click" function. Additional screw fixing of the lever handles using M6 grub screws on square spindle for optimum fixing of the lever handles.

Free play and free angular movement < 0.5 mm

HAFI round roses 870/871 PZ,
Edge height 4 mm, edge radius 0.5 mm,
matt brushed stainless steel.

Certified according to DIN EN 1906 Classification key

| 4 | 7 | - | B | 1 | 4 | 0 | B |

Proof according to test certificate

Version with lever handle HAFI Design 311 on both sides
on round design rosettes (edge height 4 mm) 870/871, PZ-perforated

Supplement for the above-mentioned HAFI rose lever handle set Design 311 - 870/871 PZ

Visible stainless steel surfaces matt or polished PVD coated uniform colour shades optionally in gold, bronze, rose gold or black.

Supplement for the above-mentioned HAFI rose lever handle set Design 311 – 870/871 PZ

Visible stainless steel surfaces coated in HAFI "SoftTouch" finish, uniform colours optionally based on RAL colour chart.

Manufacturer's proof:

HAFI Beschläge GmbH
Weißinger Straße 16
89275 Elchingen
Telephone +49 (0) 7308 / 9604-0
Fax +49 (0) 7308 / 9604-15

info@hafi.de, www.hafi.de

HAFI Flush Line escutcheon set PZ solid leaf doors Design 311 - 280 870/871 PZ

HAFI Flush Line Design 311 rose door set PZ for solid leaf doors, matt brushed stainless steel.

Standard door thickness: 37 - 44 mm, 8 mm square spindle

Stainless steel escutcheon set with fixed, pivot-mounted lever handles on metal base rose with spring pretension for 0° position of the lever handle, 4 mm edge height of the escutcheons. Concealed, continuous screw fitting of the base roses with quick installation using the "Push-Click" function. Additional screw fixing of the lever handles using M6 grub screws on square spindle for optimum fixing of the lever handles.

Free play and free angular movement < 0.5 mm

HAFI round roses 870/871 PZ,
Edge height 4 mm, edge radius 0.5 mm,
matt brushed stainless steel.

Certified according to DIN EN 1906 Classification key
| 4 | 7 | - | B | 1 | 4 | 0 | B |
Proof according to test certificate

Version lever handle HAFI Design 311 and flat knob HAFI Design 280
on round design escutcheons 870 and round key escutcheons (edge height 4 mm) 871, PZ-perforated

Supplement for the above-mentioned HAFI escutcheon set Design 311 - 280 870/871 PZ

Visible stainless steel surfaces matt or polished PVD coated uniform colour shades optionally in gold, bronze, rose gold or black.

Supplement for the above-mentioned HAFI escutcheon set Design 311 - 280 870/871 PZ

Visible stainless steel surfaces coated in HAFI "SoftTouch" finish, uniform colours optionally based on RAL colour chart.

Manufacturer's proof:

HAFI Beschläge GmbH
Weißinger Straße 16
89275 Elchingen
Telephone +49 (0) 7308 / 9604-0
Fax +49 (0) 7308 / 9604-15

info@hafi.de, www.hafi.de

HAFI Flush Line rose WC set full-leaf doors Design 311 - 870/873/872 WC

HAFI Flush Line Design 311 rosette WC set for solid leaf doors in matt brushed stainless steel.

Standard door thickness: 37 - 44 mm, 8 mm square spindle

Stainless steel escutcheon set with fixed, pivot-mounted lever handles on metal base rose with spring pretension for 0° position of the lever handle, 4 mm edge height of the escutcheons. Concealed, continuous screw fitting of the base roses with quick installation using the "Push-Click" function. Additional screw fixing of the lever handles using M6 grub screws on square spindle for optimum fixing of the lever handles.

Free play and free angular movement < 0.5 mm

HAFI round roses 870/873/872 WC,
Edge height 4 mm, edge radius 0.5 mm,
matt brushed stainless steel.

Certified according to DIN EN 1906 Classification key
| 4 | 7 | - | B | 1 | 4 | 0 | B |
Proof according to test certificate

Version on both sides with lever handle HAFI Design 311
on round design rosettes (edge height 4 mm) 870/873/872, WC emergency opening and deadbolt

Supplement for the above-mentioned HAFI rose WC set Design 311 - 870/873/872 WC

Visible stainless steel surfaces matt or polished PVD coated uniform colour shades optionally in gold, bronze, rose gold or black.

Supplement for the above-mentioned HAFI rose WC set Design 311 - 870/873/872 WC

Visible stainless steel surfaces coated in HAFI "SoftTouch" finish, uniform colours optionally based on RAL colour chart.

Manufacturer's proof:

HAFI Beschläge GmbH
Weißinger Straße 16
89275 Elchingen
Telephone +49 (0) 7308 / 9604-0
Fax +49 (0) 7308 / 9604-15

info@hafi.de, www.hafi.de

HAFI Flush Line rose lever handle set for solid leaf doors Design 311 - 870/871 PZ FS

HAFI Flush Line Design 311 rose lever handle set PZ for solid leaf doors in fire protection design, matt brushed stainless steel.

Standard door thickness: 37 - 44 mm, 9 mm square spindle

Stainless steel escutcheon set with fixed, pivot-mounted lever handles on metal base rose with spring pretension for 0° position of the lever handle, edge height of the escutcheons 4 mm. Concealed, continuous screw fitting of the base roses with quick installation using the "Push-Click" function. Additional screw fixing of the lever handles using M6 grub screws on square spindle for optimum fixing of the lever handles.

Free play and free angular movement < 0.5 mm

HAFI round roses 870/871 PZ,
Edge height 4 mm, edge radius 0.5 mm,
matt brushed stainless steel.

Certified according to DIN EN 1906 Classification key
| 4 | 7 | - | B | 1 | 4 | 0 | B |
Proof according to test certificate

Fire protection version certified to DIN 18273.

Version with lever handle HAFI Design 311 on both sides
on round design rosettes (edge height 4 mm) 870/871, PZ-perforated

Supplement for the above-mentioned HAFI rose lever handle set Design 311 - 870/871 PZ FS

Visible stainless steel surfaces matt or polished PVD coated uniform colour shades optionally in gold, bronze, rose gold or black.

Supplement for the above-mentioned HAFI rose lever handle set Design 311 - 870/871 PZ

Visible stainless steel surfaces coated in HAFI "SoftTouch" finish, uniform colours optionally based on RAL colour chart.

Manufacturer's proof:

HAFI Beschläge GmbH
Weißinger Straße 16
89275 Elchingen
Telephone +49 (0) 7308 / 9604-0
Fax +49 (0) 7308 / 9604-15

info@hafi.de, www.hafi.de

HAFI Flush Line escutcheon set PZ solid leaf doors Design 311 - 280 870/871 PZ FS

HAFI Flush Line Design 311 rose door set PZ for solid leaf doors in fire protection design, matt brushed stainless steel.

Standard door thickness: 37 - 44 mm, 9 mm square spindle

Stainless steel escutcheon set with fixed, pivot-mounted lever handles on metal base rose with spring pretension for 0° position of the lever handle, edge height of the escutcheons 4 mm. Concealed, continuous screw fitting of the base roses with quick installation using the "Push-Click" function. Additional screw fixing of the lever handles using M6 grub screws on square spindle for optimum fixing of the lever handles.

Free play and free angular movement < 0.5 mm

HAFI round roses 870/871 PZ,
Edge height 4 mm, edge radius 0.5 mm,
matt brushed stainless steel.

Certified according to DIN EN 1906 Classification key
| 4 | 7 | - | B | 1 | 4 | 0 | B |
Proof according to test certificate

Fire protection version certified to DIN 18273.

Design lever handle HAFI Design 311 and flat knob HAFI Design 280
on round design escutcheons 870 and round key escutcheons (edge height 4 mm) 871, PZ-perforated

Supplement for the above-mentioned HAFI escutcheon set Design 311 - 280 870/871 PZ FS

Visible stainless steel surfaces matt or polished PVD coated uniform colour shades optionally in gold, bronze, rose gold or black.

Supplement for the above-mentioned HAFI escutcheon set Design 311 - 280 870/871 PZ FS

Visible stainless steel surfaces coated in HAFI "SoftTouch" finish, uniform colours optionally based on RAL colour chart.

Manufacturer's proof:

HAFI Beschläge GmbH
Weißinger Straße 16
89275 Elchingen
Telephone +49 (0) 7308 / 9604-0
Fax +49 (0) 7308 / 9604-15

info@hafi.de, www.hafi.de